

Claset Outlet

**Home of Lazy Lee®
Revolving Closet & Storage Products**



Assembly & Installation Instructions

Phone: 407-505-0865

1447 Belladonna Place, St. Cloud, FL 34771




What's In The Package

There are three distinct groups of parts that, together, comprise a Lazy Lee® Storage unit:


1. ROTAS™ Bearing Assembly and Stabilizing Dock;
2. Unit Components, such as shelves, half-moons, uprights, drawers, hanging rods, deck;
3. Assembly Components, such as long and short dowels and shelf pins.

Unpack the parts, and group them into the 3 categories shown above, using the exploded view drawing on the next page to guide you. Then, **using the enclosed Parts Packing Slip, which is specific to your unit and lists your actual parts and quantities,** confirm that you have the correct quantity of each item. Once the parts and their quantities are confirmed, you're ready to begin assembly and installation

LAZY LEE® STABILIZING SYSTEM



LAZY LEE® MODULE COMPONENTS



LAZY LEE® ASSEMBLY COMPONENTS



SHORT DOWELS (16)



LONG DOWELS (2)




SHELF PINS (48)



RUBBER MALLET
(NOT SUPPLIED)

NOTE: You will need a rubber mallet to install shelves (not included).



IMPORTANT: The drawings and instructions in this guide describe the Lazy Lee's "A Woman's Dream" product. Your unit may have different features. To confirm receipt of all parts for your specific unit, use the PARTS PACKING SLIP included with your shipment. If your unit contains Drawers and/or Hanging Rods, assembly and installation instructions for those specific features will accompany your Parts Packing Slip.



Here we go! As you follow the steps, notice that each part being discussed in the step is shown in red.

Step 1 Locate the Stabilizing Dock and place it near the installation location with its channeled side facing up.




Step 2 The two ROTAS Rings are identical. Place either ROTAS Ring in the channel of the Stabilizing Dock with the ROTAS Ring's channel facing upward.



Step 3 Place all the solid surface ROTAS Bearings in the ROTAS Ring's channel. Be sure the number of ROTAS Bearings matches the number shown on your Parts Packing Slip.



Step 4 Now place the remaining ROTAS Ring on top with its channel facing downward so that the ROTAS Bearings are captured between the two ROTAS rings.



Step 5 Next, locate the Bottom Disk of the unit it has a round channel on its underside. Place the channeled side of the Bottom Disk onto the upper ROTAS Ring. When properly positioned, the Bottom Disk revolves freely upon the ROTAS and Stabilizing Dock assembly beneath it.





Step 6 Move the assembly to the location where it is to be installed. Once it's positioned, check to be sure the Bottom Disk revolves freely and does not touch any nearby walls or baseboards. Maintain a minimum of 3/4 Inch of space between the bottom disk and the nearest stationary object.




NOTE: Consider that uneven floors may affect installation and plan accordingly.

Lockdowel Fastening System

Before we go to the next step, it's important to understand the Lockdowel fastening system that simplifies the assembly process:

Lazy Lee Revolving Closet & Storage Products use state-of-the-art Lockdowel fasteners that don't require any glue, screws, or nails. The fasteners are totally invisible when the unit is fully assembled. A few taps with a rubber mallet (not included) is all it takes to fasten module components together with this easy and secure system.

LOCKDOWEL



How Lockdowel Fasteners Work

Products made with Lockdowel Fasteners may be assembled and disassembled with ease.




Step 7 Locate the two Side Panels and place them vertically on the upper side of the Bottom Disk as shown in the drawing below.



The channel on each Side Panel faces inward, with its small pre-drilled hole at the bottom. Using the Lockdowel fasteners pre-installed in the vertical Side Panels, simply insert them into the keyholes on the Bottom Deck and slide the fasteners to lock Side Panels in place. Note the center channel of the Bottom Deck should now aligns with the channels on the Side Panels, and together these 3 components form a U-shaped channel.

Step 8 Once assembled, the unit looks like this:




VERY IMPORTANT: The upright Side Panels must be supported until the next step is completed, otherwise damage may occur.




Step 9

Locate the Middle Partition and slide it into the U-shaped channel created by the Side Panels and Deck, ensuring that all parts are aligned. The Middle Partition must fit fully into the Bottom Shelf channel.

**Step 10**


Next, locate the Middle disk and place it on top of the assembly, ensuring that its channeled side is facing upward. Place the Middle Shelf on the Lockdowel fasteners and slide to lock. At this point, the assembly is stable and strong. Gently give the unit a spin to ensure that it fully clears surrounding walls and baseboards.

**Step 11**


Repeat Step 7 for the Upper Side Panels.



Step 12 Repeat Step 9 to install the Upper Middle Partition



Step 13 Repeat Step 10 to install the Top Shelf.





Depending on the unit you're assembling, this is the point at which you may need to consult the additional instructions that accompanied your Parts Packing Slip. Examples of such items include Hanging Rod(s) and Drawers.




Step 14

Locate Rectangular Shelves and Shelf Pins. Insert Shelf Pins into appropriate shelf locations, then slide each Rectangular Shelf onto its Pins.

Note: Shelves have a small channel on the underside, and that channel should rest upon a pin. This ensures that the shelf does not drop down when items are removed from it.




Step 15 Gather the Half-Moon shelves nearby. Starting from the bottom of the assembly, align each Half-Moon with the keyholes on the Side Panels and slide each into place until tight, gently using a rubber mallet as needed.




Install all Half-Moons for the lower half of one side of the unit. Then install Side Rail.

Step 16 To mount Side Rail: Insert a small dowel into one end of Side Rail, then into Bottom Deck.



Step 16 Repeat Steps 14 and 15 until all upper and lower Half-Moons and Side Rails have been installed.



Step 17 Congratulations! Your Lazy Lee unit is now fully assembled. Please ensure that the Lazy Lee unit revolves freely and is not obstructed by any other item(s) nearby.

As a reminder, if your unit contains features not described in these instructions, such as drawers, hanging rods, mirror-ready panel, etc., consult the documents that accompanied your Parts Packing Slip for specific steps.



**Additional Lazy Lee® Revolving Closet & Storage
Designs
available from**
Closet Outlet

